

Powered by Confident Cannabis 1 of 4

Angies Garden, LLC

7260 S. Post Rd Guthrie, OK 73044 cwebb4ou@gmail.com (405) 819-4712 Lic. #GAAA-E970-3HQ5

Sample: 2311HGL5962.23344

Strain: FJ x MAC x PPD 11.1.23 Date Received: 11/22/2023 Date Sampled: 11/22/2023; Report Created: 11/29/2023 Plant, Flower - Cured Primary Sample Size: 5g

FJ x MAC x PPD 11.1.23

metrc Source Package#: 1A40E0100014BA600000264 metrc Package#: 1A40E0100014BA600000268 Harvest or Production Batch#: FJ x MAC x PPD Primary Harvest 1 Nov 2023 Lot#:





Cannabinoids

Total THC: 20.51% Total CBD: 0.07% Total Cannabinoids: 20.86% CBDa CBG CBGa Δ9-THC Analyte 100 Mass Mass THCa % % mg/g 226.5 0.04 22.65 THCa ∆9-THC 0.04 0.65 6.5 **∆8-THC** 0.04 ND ND THCV ND ND CBDa 0.08 0.8 CBD ND ND CBDV 0.04 ND ND CBN ND ND CBGa 0.04 0.22 2.2 CBG 0.04 0.08 0.8 CBC 0.04 ND ND 95.6%

Date Tested: 11/28/2023

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Abigail Burkhart

Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01

Complete



Powered by Confident Cannabis 2 of 4

Angies Garden, LLC

7260 S. Post Rd Guthrie, OK 73044 cwebb4ou@gmail.com (405) 819-4712 Lic. #GAAA-E970-3HQ5

Sample: 2311HGL5962.23344


Strain: FJ x MAC x PPD 11.1.23 Date Received: 11/22/2023 Date Sampled: 11/22/2023; Report Created: 11/29/2023 Plant, Flower - Cured Primary Sample Size: 5g

FJ x MAC x PPD 11.1.23

metrc Source Package#: 1A40E0100014BA600000264 metrc Package#: 1A40E0100014BA600000268 Harvest or Production Batch#: FJ x MAC x PPD Primary Harvest 1 Nov 2023 Lot#:



Terpenes



| Analyte | LOQ | Mass | Mass |
|----------------------|------|---|---------------------|
| | % | % | mg/g |
| Limonene | 0.01 | 0.73 | 7.3 |
| β-Caryophyllene | 0.01 | 0.34 | 3.4 |
| Linalool | 0.01 | 0.25 | 2.5 |
| β-Myrcene | 0.01 | 0.21 | 2.1 |
| α-Humulene | 0.01 | 0.11 | 1.1 |
| β-Pinene | 0.01 | 0.09 | 0.9 |
| α-Terpineol | 0.01 | 0.08 | 0.8 |
| Geranyl Acetate | 0.01 | 0.07 | 0.7 |
| α-Pinene | 0.01 | 0.06 | 0.6 |
| Guaiol | 0.01 | 0.06 | 0.6 |
| Endo-Fenchyl Alcohol | 0.01 | 0.06 | 0.6 |
| Nerolidol | 0.01 | 0.06 | 0.6 |
| α-Bisabolol | 0.01 | 0.06 | 0.6 |
| Valencene | 0.01 | 0.04 | 0.4 |
| Camphene | 0.01 | 0.02 | 0.2 |
| Hexahydro Thymol | 0.01 | 0.01 | 0.1 |
| Terpinolene | 0.01 | 0.01 | 0.1 |
| α-Cedrene | 0.01 | ND | ND |
| α-Phellandrene | 0.01 | ND | ND |
| α-Terpinene | 0.01 | ND | ND |
| Borneol | 0.01 | ND | ND |
| Camphor | 0.01 | ND | ND |
| Caryophyllene Oxide | 0.01 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Cedrol | 0.01 | ND | ND |
| δ-3-Carene | 0.01 | ND | ND |
| Eucalyptol | 0.01 | ND | ND |
| Farnesene | 0.01 | ND | ND |
| Fenchone | 0.01 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| y-Terpinene | 0.01 | ND | ND |
| y-Terpineol | 0.01 | ND | ND |
| Geraniol | 0.01 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Isoborneol | 0.01 | ND | ND |
| Isopulegol | 0.01 | ND | ND |
| Nerol | 0.01 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Ocimene | 0.01 | ND | ND |
| Phytol | 0.01 | ND | ND |
| Pulegone | 0.01 | ND | ND |
| Sabinene | 0.01 | ND | ND |
| Sabinene Hydrate | 0.01 | ND | ND |
| Total | | 2.26 | 22.6 |

Date Tested: 11/28/2023; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Higger Buthart

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



Abigail Burkhart Laboratory Director www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 4

Angies Garden, LLC

7260 S. Post Rd Guthrie, OK 73044 cwebb4ou@gmail.com (405) 819-4712 Lic. #GAAA-E970-3HQ5

FJ x MAC x PPD 11.1.23

Sample: 2311HGL5962.23344

Strain: FJ x MAC x PPD 11.1.23 Date Received: 11/22/2023 Date Sampled: 11/22/2023; Report Created: 11/29/2023 Plant, Flower - Cured Primary Sample Size: 5g

metrc Source Package#: 1A40E0100014BA600000264 metrc Package#: 1A40E0100014BA600000268 Harvest or Production Batch#: FJ x MAC x PPD Primary Harvest 1 Nov 2023 Lot#:



Pass

Pass

Pass

Microbials

| Analyte | Limit | Results | Status |
|-----------------------------|-------|---------|--------|
| | CFU/g | CFU/g | |
| Yeast & Mold | 10000 | 300 | Pass |
| Shiga Toxin E. Coli | 1 | ND | Pass |
| Salmonella | 1 | ND | Pass |
| Aspergillus niger | 1 | ND | Pass |
| Aspergillus fumigatus | 1 | ND | Pass |
| Aspergillus terreus | 1 | ND | Pass |
| Aspergillus flavus | 1 | ND | Pass |
| Pathogen Extraction Mass: g | | | |

Yeast/Mold and E. coli Extraction Mass: g

Date Tested: 11/29/2023

ND = Not Detected; E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count; Samples are reported using simple acceptance.

Heavy Metals

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|----------------------------------|--------|
| | PPB | PPB | PPB | |
| Arsenic | 25 | 200 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Cadmium | 25 | 200 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Lead | 25 | 500 | NĎ | Pass |
| Mercury | 10 | 100 | <loq< td=""><td>Pass</td></loq<> | Pass |
| | | | | |

Date Tested: 11/28/2023

Analysis performed on Agilent 7800 ICP-MS LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.

Foreign Matter

Date Tested: 11/28/2023

(405) 930-6200

highgradelabs.com

Lic# LAAA-NKSE-J8CM

ACO

Notes: ND = Not Detected; Analysis performed by visual inspection in accordance with laboratory SOP 305. Samples are reported using simple acceptance. Foreign Organic Materials

| 0% Limit: 2% | 0% Limit: 0% | |
|-----------------|-----------------|--|
| | | |
| | | |

Moisture Water Activity 0.49000 aw 10.3% Date Tested: 11/29/2023 Date Tested: 11/29/2023 Analysis performed by Aqualab 3 in accordance with laboratory SOP 416; ND = Not Detected;Samples are reported using simple acceptance 2200 S Prospect Ave **Confident Cannabis** Abian Burkhart Oklahoma City, OK All Rights Reserved



Abigail Burkhart Laboratory Director support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 4

Angies Garden, LLC

7260 S. Post Rd Guthrie, OK 73044 cwebb4ou@gmail.com (405) 819-4712 Lic. #GAAA-E970-3HQ5

Sample: 2311HGL5962.23344

Strain: FJ x MAC x PPD 11.1.23 Date Received:11/22/2023 Date Sampled: 11/22/2023; Report Created: 11/29/2023 Plant, Flower - Cured Primary Sample Size: 5g

FJ x MAC x PPD 11.1.23

metrc Source Package#: 1A40E0100014BA6000000264 metrc Package#: 1A40E0100014BA6000000268 Harvest or Production Batch#: FJ x MAC x PPD Primary Harvest 1 Nov 2023 Lot#:



Pass

Pesticides

| Analyte | LOQ | Limit | Units | Status | Analyte | LOQ | Limit | Units | Status |
|--------------|-------|-------|-------|--------|---------------|-------|-------|-------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Abamectin | 0.025 | 0.500 | ND | Pass | Myclobutanil | 0.025 | 0.200 | ND | Pass |
| Azoxystrobin | 0.025 | 0.200 | ND | Pass | Permethrins | 0.025 | 0.200 | ND | Pass |
| Bifenazate | 0.025 | 0.200 | ND | Pass | Spinosad | 0.025 | 0.200 | ND | Pass |
| Etoxazole | 0.025 | 0.200 | ND | Pass | Spiromesifen | 0.025 | 0.200 | ND | Pass |
| Imazalil | 0.025 | 0.200 | ND | Pass | Spirotetramat | 0.025 | 0.200 | ND | Pass |
| Imidacloprid | 0.025 | 0.400 | ND | Pass | Tebuconazole | 0.025 | 0.400 | ND | Pass |
| Malathion | 0.025 | 0.200 | ND | Pass | | | | | |

Date Tested: 11/28/2023

Notes:


Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.

| Mycotoxins | | | | Pass |
|--------------|------|-------|------|--------|
| Analyte | LOQ | Limit | Mass | Status |
| | PPB | PPB | PPB | |
| Aflatoxins | 2.50 | 20.00 | ND | Pass |
| Ochratoxin A | 2.50 | 20.00 | ND | Pass |
| | | | | |

Date Tested: 11/28/2023

Notes: Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS. LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01