

Powered by Confident LIMS 1 of 4

Vice Capital Extraction LLC

420 N. Pennsylvania Ave Oklahoma City, OK 73107 adrian@710trading.com (405) 212-9238 Lic. #PAAA-EK2L-2W9W

Sample: 2312HGL6271.24651

Strain: Strawberry - 65g Date Received: 12/11/2023 Date Sampled: 12/11/2023; Report Created: 01/11/2024 Ingestible, Chocolate Primary Sample Size: 65g

Strawberry - 65g

metrc Source Package#: 1A40E0100000198000018806 metrc Package#: 1A40E0100000198000018816 Harvest or Production Batch#: 23D0014-A(3) Lot#:





Cannabinoids

Complete

Total THC: 4,521.96 mg/unit			Total CBD: Total Canna	<loq Ibinoids: 4,657.49 mg/unit</loq
Analyte	LOQ	Mass	Mass	CBC CBG CBN Δ9-THC
	mg/unit	mg/unit	mg/g	THCV
THCa	14.33	ND	ND	
Δ9-THC	14.33	4521.96	69.76	
Δ8-THC	14.33	ND	ND	
THCV	14.33	22.06	0.34	
CBDa	14.33	ND	ND	
CBD	14.33	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBDV	14.33	ND	ND	
CBN	14.33	27.49	0.42	
CBGa	14.33	ND	ND	
CBG	14.33	49.53	0.76	
CBC	14.33	36.45	0.56	
				97.1%

Date Tested: 12/13/2023

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.





Ryon D Crist

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866




Ryan Crist Laboratory Director

Lick LAAA-NKSE-J8CM Laboratory Director www.confidentlims.com This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01 The original CoA from 12/13/23 has been amended to update the potency data with the results of an additional dilution. Amended report created 12/18/23.



Powered by Confident LIMS 2 of 4



quality control samples performed within specifications established by the Laboratory.







Ryon D Crist

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



Ryan Crist Laboratory Director

Lic# LAAA-NKSE-J8CM Lic# LAAA-NKSE-J8CM www.confidentlims.com This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested or an a zero matcord basis. Highrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01 The original COA from 12/13/23 has been amended to update the potency data with the results of an additional dilution. Amended report created 12/18/23.



Powered by Confident LIMS 3 of 4

Pass

Status

Pass

Pass

Pass Pass

Pass

Pass

Pass

Pass

confident

Vice Capital Extraction LLC Sample: 2312HGL6271.24651 Strain: Strawberry - 65g 420 N. Pennsylvania Ave Oklahoma City, OK 73107 Date Received: 12/11/2023 Date Sampled: 12/11/2023; Report Created: 01/11/2024 adrian@710trading.com (405) 212-9238 Ingestible, Chocolate Lic. #PAAA-EK2L-2W9W Primary Sample Size: 65g metrc Source Package#: 1A40E0100000198000018806 Strawberry - 65g metrc Package#: 1A40E0100000198000018816 Harvest or Production Batch#: 23D0014-A(3) Lot#: **Microbials** Analyte Limit Results CFU/g 10000 CFU/g 80 Yeast & Mold Shiga Toxin E. Coli NĎ Salmonella ND Aspergillus niger ND Aspergillus fumigatus Aspergillus terreus ND ND Aspergillus flavus Pathogen Extraction Mass: g Yeast/Mold and E. coli Extraction Mass: g Date Tested: 12/13/2023 ND = Not Detected; E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count; Samples are reported using simple acceptance. Foreign Matter Date Tested: 12/13/2023 Notes: ND = Not Detected; Analysis performed by visual inspection in accordance with laboratory SOP 305. Samples are reported using simple acceptance. Foreign Organic Materials 0% 0% Limit: 2% Limit: 0% Date Tested: Date Tested: 2200 S Prospect Ave Confident LIMS Ryon D Crist Oklahoma City, OK All Rights Reserved (405) 930-6200 coa.support@confidentlims.com **Ryan Crist** highgradelabs.com (866) 506-5866 Lick LAAA-NKSE-J8CM Laboratory Director www.confidentlims.com This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01 The original CoA from 12/13/23 has been amended to update the potency data with the results of an additional dilution. Amended report created 12/18/23. Laboratory Director



Powered by Confident LIMS 4 of 4

Vice Capital Extraction LLC

420 N. Pennsylvania Ave Oklahoma City, OK 73107 adrian@710trading.com (405) 212-9238 Lic. #PAAA-EK2L-2W9W

Sample: 2312HGL6271.24651

Strain: Strawberry - 65g Date Received: 12/11/2023 Date Sampled: 12/11/2023; Report Created: 01/11/2024 Ingestible, Chocolate Primary Sample Size: 65g

Strawberry - 65g

metrc Source Package#: 1A40E0100000198000018806 metrc Package#: 1A40E0100000198000018816 Harvest or Production Batch#: 23D0014-A(3) Lot#:



Pass

Pesticides

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 12/13/2023

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.

Mycotoxins				Pass
Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 12/13/2023

Notes: Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS. LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.





Ryon D Crist

Confident LIMS All Rights Reserved coa.support@confidentlims.com

(866) 506-5866



Ryan Crist Laboratory Director

Lick LAAA-NKSE-J8CM Laboratory Director www.confidentlims.com This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01 The original CoA from 12/13/23 has been amended to update the potency data with the results of an additional dilution. Amended report created 12/18/23.