

Powered by Confident Cannabis 1 of 4

Vice Capital Extraction, LLC

420 N PENNSYLVANIA AVE OKLAHOMA CITY, OK 73107 ryan.vice@icloud.com (405) 740-7926 Lic. #PAAA-EK2L-2W9W

Sample: 2308ES0753.7934

Strain: 1g Vape Watermelon

Batch#: DST26.8.4.23(2); Batch Size: g

Sample Received: 08/22/2023; Report Created: 08/25/2023; Expires: 08/25/2024

Sampling: ; Environment:

1g Vape Watermelon

Concentrates & Extracts, Vape

Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40E0100000198000005616



Safety



Pass Pass Pesticides Microbials

> **Pass** Metals

Pass

Mycotoxins

Pass

Foreign Matter

Cannabinoids

76.75% **Total THC** 0.61%

Total CBD

79.31%

Total Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	PPM
THCa	0.00	ND	ND
Δ9-THC	0.00	76.75	767543.42
Δ8-ΤΗС	0.00	ND	ND
THCV	0.00	0.30	3008.65
CBDa	0.00	ND	ND
CBD	0.00	0.61	6103.34
CBDV	0.00	ND	ND
CBN	0.00	0.39	3933.71
CBGa	0.00	ND	ND
CBG	0.00	0.76	7649.68
CBC	0.00	0.49	4865.93
Total		79.31	793104.72

Pass

Solvents

Pass

Foreign Matter

Not Tested

Water Activity

Not Tested

Moisture

Total THC = (THCa * 0.877) + d9-THC Total CBD = (CBDa * 0.877) + CBD SOP.T20.050, SOP.T.40.020, Technology: HPLC. Moisture: SOP.T.40.011, Moisture Analyzer. Date Completed: 08/25/2023

> 120 NE 26th St. Oklahoma City, OK (405) 724-1039 http://www.esl-ok.com Lic# LAAA-O1IJ-IAVX

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 2 of 4

Vice Capital Extraction, LLC

420 N PENNSYLVANIA AVE OKLAHOMA CITY, OK 73107 ryan.vice@icloud.com (405) 740-7926 Lic. #PAAA-EK2L-2W9W

Sample: 2308ES0753.7934

Strain: 1g Vape Watermelon

Batch#: DST26.8.4.23(2); Batch Size: g

Sample Received: 08/22/2023; Report Created: 08/25/2023; Expires: 08/25/2024

Sampling: ; Environment:

1g Vape Watermelon

Concentrates & Extracts, Vape

Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40E0100000198000005616



Terpenes

Primary Aromas

Analyte	LOQ	Mass	Mass	
	%	%	mg/g	4.08%
Limonene	0.00	1.50	15.0	
β-Caryophyllene	0.00	0.77	7.7	Total Terpenes
β-Myrcene	0.00	0.61	6.1	
Linalool	0.00	0.34	3.4	
α-Bisabolol	0.00	0.26	2.6	
β-Pinene	0.00	0.22	2.2	
α-Pinene	0.00	0.10	1.0	
α-Humulene		0.07	0.7	
Caryophyllene Oxide	0.00	0.06	0.6	
Nerolidol	0.00	0.04	0.4	Orange
Camphene	0.00	0.03	0.3	3.41.85
Terpinolene	0.00	0.03	0.3	
Guaiol	0.00	0.03	0.3	1
Ocimene	0.00	0.01	0.1	W/
3-Carene	0.00	0.00	0.0	
α-Cedrene	0.00	NT	NT	
α-Phellandrene	0.00	NT	NT	
α-Terpinene	0.00	ND	ND	Cinnamon
α-Terpinene	0.00	NT	NT	
Borneol	0.00	NT NT	NT NT	
	0.00	NT NT	NT NT	
Camphor				
Cedrol	0.00	NT	NT	
Eucalyptol	0.00	ND	ND	
Farnesene	0.00	NT	NT	-
Fenchol	0.00	NT	NT	Hops
Fenchone	0.00	NT	NT	(1) (1)
y-Terpinene	0.00	ND	ND	(NV) Scientific
y-Terpineol	0.00	NT	NT	
Geranyl Acetate	0.00	NT	NT	
Hexahydro Thymol	0.00	NT	NT	
Isoborneol	0.00	NT	NT	
Nerol	0.00	NT	NT	Lavan dan
(+)-Pulegone		NT	NT	Lavender
Sabinene	0.00	NT	NT	
Valencene	0.00	NT	NT	_
(-)-Isopulegol		ND	ND	2 2
Total		4.08	40.8	
				1
				Chamomile

SOP.T.40.091: Technology: GC-FID; Terpenes by GC-FID Date Completed: 08/24/2023

120 NE 26th St. Oklahoma City, OK (405) 724-1039 http://www.esl-ok.com Lic# LAAA-O1IJ-IAVX

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 3 of 4

Vice Capital Extraction, LLC

420 N PENNSYLVANIA AVE OKLAHOMA CITY, OK 73107 ryan.vice@icloud.com (405) 740-7926 Lic. #PAAA-EK2L-2W9W Sample: 2308ES0753.7934

Strain: 1g Vape Watermelon

Batch#: DST26.8.4.23(2); Batch Size: g

Sample Received: 08/22/2023; Report Created: 08/25/2023; Expires: 08/25/2024

Sampling: ; Environment:

1g Vape Watermelon

Concentrates & Extracts, Vape

Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40E0100000198000005616



Pesticides Pass

Analyte	LOQ Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPB PPB	PPB			PPB	PPB	PPB	
Abamectin	0.200 500.000	ND	Pass	Myclobutanil	0.100 20	00.00	ND	Pass
Azoxystrobin	0.100 200.000	ND	Pass	Permethrins	0.050 20	00.00	ND	Pass
Bifenazate	0.100 200.000	ND	Pass	Spinosad	0.020 20	00.00	ND	Pass
Etoxazole	0.100 200.000	ND	Pass	Spiromesifen	0.100 20	00.00	ND	Pass
lmazalil	0.100 200.000	ND	Pass	Spirotetramat	0.100 20	00.00	ND	Pass
Imidacloprid	0.100 400.000	ND	Pass	Tebuconazole	0.100 40	00.00	ND	Pass
Malathion	0.100 200.000	ND	Pass					



SOPT.30.065;SOPT.40.065; Technology: LC-MSMS. Pesticides Residue by LC-MS/MS Date Completed: 08/25/2023

> 120 NE 26th St. Oklahoma City, OK (405) 724-1039 http://www.esl-ok.com Lic# LAAA-O1J-IAVX

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 4 of 4

Vice Capital Extraction, LLC

420 N PENNSYLVANIA AVE OKLAHOMA CITY, OK 73107 ryan.vice@icloud.com (405) 740-7926 Lic. #PAAA-EK2L-2W9W

Sample: 2308ES0753.7934

Strain: 1g Vape Watermelon

Batch#: DST26.8.4.23(2); Batch Size: g

Sample Received: 08/22/2023; Report Created: 08/25/2023; Expires: 08/25/2024

Sampling: ; Environment:

1g Vape Watermelon

Concentrates & Extracts, Vape

Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40E0100000198000005616



Mycotoxins			Pass
Analyte	LOQ	Limit	Mass Status
	PPB	PPB	PPB
Aflatoxins	50.00	20.00	ND Pass
B1	5.00		ND Tested
B2	5.00		ND Tested
G1	5.00		ND Tested
G2	10.00		ND Tested
Ochratoxin A	10.00	20.00	ND Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus flavus	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Salmonella	1	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Yeast & Mold	10000	ND	Pass

SOP.T.30.065: SOP.T.30.065: Technology LC-MSMS.

Date Completed: 08/25/2023

Heavy Metals Pass Analyte Mass Status PPM PPM PPM Arsenic 0.037 0.200 ND **Pass** Cadmium ND Pass Lead 0.100 Pass <LOO

0.100

ND

Pass

SOP.T.40.046; Technology: Plating. Date Completed: 08/25/2023

PPM	Residual Solvents			Pass
1,2-Dichloro-Ethane ND Tested Acetone 59,000 1000,000 ND Pass Acetonitrile 59,000 ND Tested Benzene 0.024 1000,000 0.056 Pass Butanes 462,000 1000,000 ND Pass Chloroform 0.110 <loq td="" tested<=""> Ethanol 76,000 5000,000 ND Pass Ethyl-Acetate 26,000 1000,000 ND Pass Ethyl-Ether 22,000 ND Tested LOQ Tested Heptanes 1000,000 1000,000 ND Pass Pass ssopropanol 68,000 1000,000 ND Pass m-Xylene 160,000 430,000 ND Pass Methylene-Chloride 6,000 ND Pass Methylene-Chloride 6,000 ND Pass ND Tested n-Hexane 30,000 60,000 ND Pass o-Xylene 31,000 430,000 ND Pass Pentane 120,000 1000,000 ND Pass Propane 41,000 1000,000 ND Pass</loq>	Analyte	LOQ	Limit	Mass Status
Acetone 59,000 1000,000 ND Pass Acetonitrile 59,000 ND Tested Benzene 0.024 1000,000 0.056 Pass Butanes 462,000 1000,000 ND Pass Chloroform 0.110 <loq< td=""> Tested Ethanol 5000,000 ND Pass Ethyl-Acetate 26,000 1000,000 ND Pass Ethyl-Ether 22,000 ND Tested Ethylene Oxide 0.210 <loq< td=""> Tested LOQ Tested LOQ Tested Heptanes 1000,000 ND Pass ND Pass m-Xylene 160,000 ND Pass Methanol ND Pass Methylene-Chloride 60,000 ND Pass ND Tested n-Hexane 30,000 60,000 ND Pass Pass Pentane Pentane 120,000 1000,000 ND Pass Pentane Propane 41,000 1000,000 ND Pass Pontane<!--</th--><th></th><th>PPM</th><th>PPM</th><th>PPM</th></loq<></loq<>		PPM	PPM	PPM
Acetonitrile 59,000 ND Tested Benzene 0.024 1000.000 0.056 Pass Butanes 462.000 1000.000 ND Pass Chloroform 0.110	1,2-Dichloro-Ethane			ND Tested
Benzene 0.024 1000.000 0.056 Pass Butanes Chloroform 462.000 1000.000 ND Pass Chloroform Chloroform 0.110 <loq< td=""> Tested Ethed Ethanol 76.000 5000.000 ND Pass Ethyl-Acetate 26.000 1000.000 ND Pass Ethyl-Ether Ethylene Oxide 22.000 ND Tested Ethylene Oxide 0.210 <loq< td=""> Tested Tested Tested ND Tested ND ND Pass Isopropanol 68.000 1000.000 ND Pass Isopropanol ND Pass ND Pass ND ND Pass ND ND Pass ND</loq<></loq<>	Acetone	59.000	1000.000	ND Pass
Butanes 462.000 1000.000 ND Pass Chloroform 0.110 <loq< td=""> Tested Ethanol 76.000 5000.000 ND Pass Ethyl-Acetate 26.000 1000.000 ND Pass Ethyl-Ether 22.000 ND Tested Ethylene Oxide 0.210 <loq< td=""> Tested Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Pass Methylene-Chloride 6.000 ND Pass n-Hexane 30.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass</loq<></loq<>	Acetonitrile	59.000		ND Tested
Chloroform 0.110 < LOQ	Benzene	0.024	1000.000	0.056 Pass
Ethanol 76.000 5000.000 ND Pass Ethyl-Acetate 26.000 1000.000 ND Pass Ethyl-Ether 22.000 ND Tested Ethylene Oxide 0.210 <loq< td=""> Tested Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Pass Methylene-Chloride 6.000 ND Pass n-Hexane 3.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass</loq<>	Butanes	462.000	1000.000	ND Pass
Ethyl-Acetate 26.000 1000.000 ND Pass Ethyl-Ether 22.000 ND Tested Ethylene Oxide 0.210 <loq< td=""> Tested Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass M-xylene 160.000 430.000 ND Pass Methylene-Chloride 6.000 ND Pass Methylene-Chloride 6.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass</loq<>	Chloroform	0.110		<loq tested<="" th=""></loq>
Ethyl-Ether 22.000 ND Tested Ethylene Oxide 0.210 <loq td="" tested<=""> Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Tested Methylene-Chloride 6.000 ND Tested n-Hexane 3.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass</loq>	Ethanol	76.000	5000.000	ND Pass
Ethylene Oxide 0.210 <loq tested<="" th=""> Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Tested Methylene-Chloride 6.000 ND Tested n-Hexane 30.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass</loq>	Ethyl-Acetate	26.000	1000.000	ND Pass
Heptanes 1000.000 1000.000 ND Pass Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Pass Methylene-Chloride 6.000 ND Tested n-Hexane 30.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	Ethyl-Ether	22.000		ND Tested
Isopropanol 68.000 1000.000 ND Pass m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Pass Methylene-Chloride 6.000 ND Tested n-Hexane 3.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	Ethylene Oxide	0.210		<loq tested<="" th=""></loq>
m-Xylene 160.000 430.000 ND Pass Methanol 39.000 600.000 ND Pass Methylene-Chloride 6.000 ND Tested n-Hexane 3.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	Heptanes	1000.000	1000.000	ND Pass
Methanol 39,000 600,000 ND Pass Methylene-Chloride 6,000 ND Tested n-Hexane 3,000 60,000 ND Pass o-Xylene 31,000 430,000 ND Pass Pentane 120,000 1000,000 ND Pass Propane 41,000 1000,000 ND Pass	Isopropanol	68.000	1000.000	ND Pass
Methylene-Chloride 6.000 ND Tested n-Hexane 3.000 60.000 ND Pass o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	m-Xylene	160.000	430.000	ND Pass
n-Hexane 3.000 60.000 ND Pass o-Xylene o-Xylene 31.000 430.000 ND Pass Pass Pass Propane Pentane 120.000 1000.000 ND Pass Pass Pass Pass Pass Pass Pass Pass	Methanol	39.000	600.000	ND Pass
o-Xylene 31.000 430.000 ND Pass Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	Methylene-Chloride	6.000		ND Tested
Pentane 120.000 1000.000 ND Pass Propane 41.000 1000.000 ND Pass	n-Hexane	3.000	60.000	ND Pass
Propane 41.000 1000.000 ND Pass	o-Xylene	31.000	430.000	ND Pass
	Pentane	120.000	1000.000	ND Pass
Toluene 15.000 180.000 ND Pass	Propane	41.000	1000.000	ND Pass
	Toluene	15.000	180.000	ND Pass
Trichloroethene 1.000 ND Tested	Trichloroethene	1.000		ND Tested
Xylenes 430.000 ND Pass	Xylenes		430.000	ND Pass

SOP.T.30.052: SOP.T.40.050: Technology: ICP-MS Date Completed: 08/25/2023

SOP.T.40.033; Technology: GCMS-Headspace. Date Completed: 08/23/2023

120 NE 26th St. Oklahoma City, OK (405) 724-1039 http://www.esl-ok.com Lic# LAAA-O1IJ-IAVX

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Mercury